

## *Salinicola zeshunii*

### STRAIN DESIGNATION

---

**UCCCB Identifier**

UCCCB 108

**Availability**

Restricted

**Strain Number**

N4T

**Other Collection Numbers**

DSM 22730; CCTCC AB 2012912; KACC 16602; N4

**Type of Organism**

Bacterium

**Strain Status**

Type

**Preservation Procedures Used**

Maintained at -80°C in Nutrient Broth containing 15% glycerol

**Date of isolation**

2007

### GROWTH CONDITIONS

---

**Medium**

Luria Broth Agar

**pH**

5.0 - 9.0 (optimal pH 5.0 - 6.0)

**Optimal Temperature(s)**

30 - 35°C

**Maximum Temperature**

10°C

**Minimum Temperature**

45°C

**HISTORY OF DEPOSIT**

---

**Isolation source**

Soil of a chicken farm

**Deposited By****GEOGRAPHIC ORIGIN**

---

**City**

Shijiazhuang

**State/Province**

Hebei province

**Country**

China

**Latitude**

38°04'N

**Longitude**

114°29'E

**Country Code**

CN

**SCIENTIFIC DETAILS**

---

**Kingdom**

*Bacteria*

**Phylum**

*Proteobacteria*

**Class**

*Gammaproteobacteria*

**Order**

*Oceanospirillales*

**Family**

*Salinicola*

**Genus**

*Salinicola*

**Specific Epithet**

zeshunii

**Full Scientific Name**

*Salinicola zeshunii* Cao et al. 2013

**GENBANK ACCESSION NUMBERS**

---

**Genbank Accession Number (16S rRNA gene)**

EU056581