

## *Undibacterium parvum*

### STRAIN DESIGNATION

---

**UCCCB Identifier**

UCCCB 17

**Availability**

Restricted

**Strain Number**

CCUG 49012T

**Other Collection Numbers**

CCUG 49012; CIP 109317; DSM 23061

**Type of Organism**

Bacterium

**Strain Status**

Type

**Preservation Procedures Used**

Maintained at -80 °C in NB containing 15% glycerol

**Date of isolation**

2004-01-01

### GROWTH CONDITIONS

---

**Medium**

R2A. Keep agar surface moist. The recommended method is filling agar slants with about 5 ml liquid medium or tap water.

**pH**

7.2

**Optimal Temperature(s)**

22°C

**Maximum Temperature**

30°C

**Minimum Temperature**

5°C

**HISTORY OF DEPOSIT**

---

**Isolation source**

Water, biofilm, drinking water.

**Deposited By****GEOGRAPHIC ORIGIN**

---

**City**

Gothenburg

**State/Province**

Västergötland and Bohuslän

**County**

Västra Götaland

**Country**

Sweden

**Latitude**

57°42'N

**Longitude**

11°58'E

**Elevation**

12 m

**Country Code**

SE

**SCIENTIFIC DETAILS**

---

**Kingdom**

*Bacteria*

**Phylum**

*Pseudomonadota*

**Class**

*Betaproteobacteria*

**Order**

*Burkholderiales*

**Family**

*Oxalobacteraceae*

**Genus**

*Undibacterium*

**Specific Epithet**

parvum

**Full Scientific Name**

*Undibacterium parvum* Eder et al. 2011

**GENBANK ACCESSION NUMBERS**

---

**Genbank Accession Number (16S rRNA gene)**

AM397629

**Genbank Accession Numbers (Others)**

CP034464

**Genbank Accession Numbers (Genome)**

CP034464