

## *Undibacterium parvum*

### STRAIN DESIGNATION

---

**UCCCB Identifier**

UCCCB 17

**Availability**

Restricted

**Strain Number**

CCUG 49012T

**Other Collection Numbers**

CIP 109317; DSM 23061

**Type of Organism**

Bacterium

**Strain Status**

Type

**Preservation Procedures Used**

Maintained at -80°C in Nutrient Broth containing 15% glycerol

**Date of isolation**

2004

### GROWTH CONDITIONS

---

**Medium**

Reasoner's 2A (R2A Agar). Keep agar surface moist. The recommended method is filling agar slants with about 5 ml liquid medium or tap water.

**pH**

7.2

**Optimal Temperature(s)**

22°C

**Maximum Temperature**

5°C

**Minimum Temperature**

30°C

**HISTORY OF DEPOSIT**

---

**Isolation source**

Water, biofilm, drinking water

**Deposited By**

The type strain CCUG 49012 (= DSM 23061) was previously described by Kämpfer et al. 2007 as a second genomovar of *Undibacterium pigrum* because of the lack of differentiating characters.

**GEOGRAPHIC ORIGIN**

---

**City**

Gothenburg

**State/Province**

Västergötland and Bohuslän

**County**

Västra Götaland

**Country**

Sweden

**Latitude**

57°42'N

**Longitude**

11°58'E

**Elevation**

12m

**Country Code**

SE

**SCIENTIFIC DETAILS**

---

**Kingdom**

*Bacteria*

**Phylum**

*Proteobacteria*

**Class**

*Betaproteobacteria*

**Order**

*Burkholderiales*

**Family**

*Undibacterium*

**Genus**

*Undibacterium*

**Specific Epithet**

parvum

**Full Scientific Name**

*Undibacterium parvum* Eder et al. 2011

**GENBANK ACCESSION NUMBERS**

---

**Genbank Accession Number (16S rRNA gene)**

AM397629

**Genbank Accession Numbers (Genome)**

CP034464